



Caparol Industrial Solutions GmbH  
Roßdörfer Str. 50  
64372 Ober-Ramstadt

## NEFA® HYB

Colour pastes for dyeing hybrid sealing systems for special applications

<b>Product description:</b>	NEFA® HYB dyeing pastes are compatible colour concentrates which have been specially matched for the coloration of transparent and filled hybrid sealing systems. NEFA® HYB dyeing pastes are based on an FDA-listed, phthalate-free plasticizer and can therefore be employed in a wide variety of systems. Depending on customer requirements or the formulation specification, NEFA® HYB dyeing pastes can also include other binder configurations. A high colour yield and reproducibility of the colours are ensured due to optimum dispersion of the pigments.
<b>Material base:</b>	DINCH, others on request
<b>Colours:</b>	Colours can be matched to the relevant customer system according to colour masters or the formulation specification.
<b>Properties:</b>	High opacity; no nuancing is necessary, colours are easy to work as they are already adjusted.
<b>Application:</b>	NEFA® HYB concentrates are easy to process with the usually available machines and should always be worked into the whole system homogeneously. Stir well before use as necessary.
<b>Density:</b>	Depends on colour
<b>Dosage:</b>	To be determined by your own tests.
<b>Storage:</b>	Storable for at maximum 1 year in undamaged, closed, original containers in a cool, frost-free place.
<b>Packaging unit:</b>	Hobbock (PE, sheet metal) approx. 30 kg each, other container sizes on request
<b>Hazard information and safety advice:</b>	Users are requested to take the relevant data from the safety data sheet
<b>Technical service and production site:</b>	Caparol Industrial Solutions GmbH, Neichener Strasse 38, 04668 Grimma Phone +49 (0) 34382 704-0, Fax: +49 (0) 34382 704-16

version: 01/2020

This technical information has been compiled based on the state of the art and our experience. In view of the large number of possible requirements and conditions it is however still your responsibility as purchaser/user to check that our product/products are actually suitable for the planned application. If you still have queries about our product (e.g. about uses which are not listed in this technical information or about application), please contact us, we would be pleased to respond. Only the latest version of the Technical Information is valid. If necessary, please make sure this version is valid with an appropriate enquiry to us.