


Caparol Industrial Solutions GmbH
Roßdörfer Str. 50
64372 Ober-Ramstadt

NEFA® PUR A

Dyeing pastes for colouring polyaspartic systems

Product description:	NEFA® PUR A dyeing pastes are specially matched, compatible and easily incorporated colour concentrates for the coloration of polyaspartic systems. NEFA® PUR A dyeing pastes are manufactured in individual or customer-specific colours for the coloration of transparent or filled polyaspartic coating systems. A compatibility test should be carried out for applications in already pigmented polyaspartic systems. A high colour yield and reproducibility of the colours are ensured due to optimum dispersion of the pigments.
Material base:	Polyaspartic acid ester, solvent-free
Colours:	Colours / Colour deviations due to printing are possible. 
Properties:	High opacity; no nuancing is necessary, colours are easy to incorporate as they are already adjusted (list of colours on request).
Application:	NEFA® PUR A dyeing pastes are incorporated homogeneously into Component A with usual methods. Opened containers should be closed carefully and used up quickly.
Density:	Approx. 1.1 to 2.5 g/cm ³ depending on the colour
Dosage:	To be determined by your own tests.
Storage:	Storable for 12 months in undamaged, closed, original containers in a frost-free place. Protect from moisture and heat. Recommended storage temperature: 0-30°C
Packaging unit:	10 L metal buckets approx. 10 – 20 kg (depending on colour), other container sizes on request
Hazard information and safety advice:	Users are requested to take the relevant data from the safety data sheet
Technical service and production site:	Caparol Industrial Solutions GmbH, Neichener Strasse 38, 04668 Grimma Phone +49 (0) 34382 704-0, Fax: +49 (0) 34382 704-16

Version: 01/2020

This technical information has been compiled based on the state of the art and our experience. In view of the large number of possible requirements and conditions it is however still your responsibility as purchaser/user to check that our product/products are actually suitable for the planned application. If you still have queries about our product (e.g. about uses which are not listed in this technical information or about application), please contact us, we would be pleased to respond. Only the latest version of the Technical Information is valid. If necessary, please make sure this version is valid with an appropriate enquiry to us.