


## NEFA® SIL RTV

### Colour and additive concentrates/pastes for colouring LSR and RTV 2 silicone rubber systems

<b>Product description:</b>	NEFA® SIL RTV colour concentrates/pastes are suitable for the coloration of LSR and RTV 2 silicone rubber systems. NEFA® SIL RTV colour concentrates/pastes are manufactured in existing (e.g. approx. RAL, NCS) or customer-specific colours. Depending on customer requirements or the formulation specification, NEFA® SIL RTV colour concentrates/pastes can include additives (e.g. UV stabilisers). A high colour yield and reproducibility of the colours are ensured due to optimum dispersion of the pigments.
<b>Material base:</b>	To customer requirements or formulation specification
<b>Colours:</b>	 <p>Colours / Colour deviations due to printing are possible.</p>
<b>Properties:</b>	High opacity; no nuancing is necessary, colours can be easily incorporated as they are already adjusted.
<b>Application:</b>	NEFA® SIL RTV colour pastes are easy to process with all current process technologies and should always be worked into the whole system homogeneously. Stir well before use as necessary.
<b>Dosage:</b>	Adjusted to % volume or % weight to customer requirements
<b>Density:</b>	Approx. 1.0 to 2.5 g/cm <sup>3</sup> depending on the colour
<b>Storage:</b>	Storable for at maximum 1 year in undamaged, closed, original containers in a cool, frost-free place.
<b>Packaging unit:</b>	Hobbock (PE, sheet metal) approx. 30 kg each, other container sizes on request
<b>Hazard information and safety advice:</b>	Users are requested to take the relevant data from the safety data sheet
<b>Technical service and production site:</b>	Caparol Industrial Solutions GmbH, Neichener Strasse 38, 04668 Grimma Phone +49 (0) 34382 704-0, Fax: +49 (0) 34382 704-16

Version: 09/2023

This technical information has been compiled based on the state of the art and our experience. In view of the large number of possible requirements and conditions it is however still your responsibility as purchaser/user to check that our product/products are actually suitable for the planned application. If you still have queries about our product (e.g. about uses which are not listed in this technical information or about application), please contact us, we would be pleased to respond. Only the latest version of the Technical Information is valid. If necessary, please make sure this version is valid with an appropriate enquiry to us.